




PostBase® pro DS

PostBase® pro DS Enterprise Series

The PostBase® pro DS is a robust and intuitive mailing system that offers uncompromising service for the professional mailroom. This German-engineered machine offers high-tech capabilities, with an easy-to-use interface and award-winning design. The PostBase® pro DS can process mixed mail by simply placing your mail in the self-adjusting feeder and letting the machine do the rest. As one of the first USPS® IMI-Compliant meters in the market and the only machine in its class to offer SealCheck technology, the PostBase® pro DS is one of the most secure mail machines on the market. Plus its icon-driven menu and a large adjustable touchscreen make this machine as ergonomic as it is intuitive.





Pro Performance

The key to reliability and performance is Stack & Go feeder with the large format feed deck and adjustable anti-skew rollers that prevent stoppages.



Dynamic Scale

High speed processing of mixed mail up to 90 letters per minute using the in-line dynamic scale that accurately measures the size and weight of each envelope.



SealCheck Sensor

Exclusive to FP's PostBase® line, SealCheck ensures security and confidentiality by validating that each envelope flap passes through the sealer.

Add-on Products

Get the most out of your Postbase® pro DS



High Capacity Envelope Catch Tray

Improve productivity by adding a high capacity catch tray that can hold up to 350 finished envelopes reducing the amount of manual unloading. With a durable design and compact footprint it will fit onto any mailroom table by hanging off the right side with a sturdy support.



Custom Mailroom Furniture

FP Mailroom Furniture is designed to provide superior protection for FP machines. Our engineers worked to create a line of furniture that increases the lifespan of your FP Mailing machines by preventing sagging and vibrations that can damage heavy mailroom equipment.



FPi Folder Inserter to PostBase® pro DS Interface

Further streamline your mailing process with folder inserter solutions for the modern age. By combining just two machines, you can transform printed paper into folded, stuffed, sealed, weighed, metered, and stacked mail in one streamlined process. The FPi Folder Inserters also have a secondary benefit of added security for sensitive documents such as: checks/invoices, legal notices and medical documents.

FP Parcel Shipping Ship. Track . Save.

Paired with the PostBase® pro DS, FP Parcel Shipping is the perfect companion to send packages. This online shipping application makes mailing packages simple and reduces costs while providing tracking and management of shipments.

- Discounted Commercial Plus® Pricing
- Free insurance on Priority Mail[®] and Priority Mail Express[®] (up to \$100 value)
- CASS address correction and validation
- Package tracking dashboard with email notifications
- Multi-carrier rate shopping option





Prints IMpb compliant tracking labels on letter size paper or 4" x 6" thermal shipping labels



Features

Easy-to-use color touchscreen Advanced, large format auto feeder Anti-skew rollers Processes up to 140 letters per minute Dynamic weighing up to 90 letters per minute SealCheck envelope security Adjustable flow sealing Rates up to 15 lbs. with integrated scale Dimensional Mail (DIM) rating capability Setup wizard for USPS® Postal Products 20 Custom home screen rate shortcuts Full set of USPS® rates and Extra Services Integrated label dispenser PIN code access protection Envelope graphics - 6 std., 30 custom Custom printable text - 12 std. Cost Account tracking - 100 std., 250 option ReportOne™ postal software Easy ink replacement Whisper quiet operation

Connected to FP online

Full online management of your mailing system, support and access to FP digital products and services available online.



Specifications

Dimensions $55^{\circ\prime\prime}$ L x 17.3" D x 11.6" H Expandable catch tray length 12.6" - 17.5" System weight 70.2 lbs. Catch tray weight 2.2 lbs.

Catch tray weight 2.2 lb Maximum letter thickness 0.40"

Media Sizes $4" \times 6"$ to $10" \times 14"$ Display 4.3" color touchscreen

Noise <70 dB(A)

Manufacturing & Certifications

Manufactured: Wittenberge, Germany ISO-9001, 14001,45001, 50001, 27001 CE, GS, CSA, Nemko, UL Listed Energy Star 3.0 USPS® IMI Approved Postage Solution

Connectivity

LAN or optional Wi-Fi adapter

Options

High capacity envelope drop stacker

Cost account upgrade to 250 accounts

FP Parcel Shipping online shipping application

MailOne™ Software

External Shipping Scales - up to 70 lbs

4" x 6" Shipping Label Printer





