


BUFFALO HIGHLANDS

PUD ZONE DOCUMENT AMENDMENT 1

A PARCEL OF LAND LOCATED IN THE WEST ONE-HALF OF SECTION 21, TOWNSHIP 2 SOUTH, PLANSE 69 WEST OF THE 6TH P.M. COUNTY OF ADAMS, STATE OF COLORADO **COVER SHEET** PAGE 1 OF 7



SHEET INDEX

- 1 COVER SHEET
- 2 SITE PLAN
- 3 LAND USE SCHEDULE DESIGN STANDARDS
- 4 LANDSCAPE STANDARDS, OPEN SPACE AND PARKS
- 5 DETAILS
- 6 SFA LOT STANDARDS
- **7 ENTRY ROADWAY SECTION**

LEGAL DESCRIPTION

THE WEST 1/2 OF SECTION 21, TOWNSHIP 2 SOUTH, RANGE 66 WEST OF THE 6TH P.M., EXCEPT THAT PART DESCRISED IN DEED RECORDED MARCH 13, 1991 IN BOOK 3759 AT PAGE 339, COUNTY OF ADAMS, STATE OF COLORADO.

SAID PARCEL CONTAINS 316.18 ACRES, MORE OR

	ROVAI	_ CERTIF	
\neg	110000	_	CALES

COUNTY CLERK AND RECORDER

APPROVAL CER	CHIFICALES:			
APPROVAL BY THE	CITY OF COMME	RCE CITY PLANNING	COMMISSION THIS	
DAY OF		AD 20		
CHAIRPERSON				
APPROVAL BY THE	CITY COUNCIL O	THE CITY OF COM	MERCE CITY THIS	
DAY OF		AD 20		
				·.
CITY CLERK		MAYOR		
ADAMS COUNTY CL	FRK AND RECOR	DER'S CEPTIFICATE	·•	· .
, is the country of	LIKK AND KEOOK	DEN 3 CENTIFICATE	<u>.</u>	
THIS PUD ZONE DOC	CUMENT WAS FIL	ED FOR RECORD IN	THE OFFICE OF ADAMS	
COUNTY CLERK ANI				
AT::	_M ON THE	DAY OF	, AD 20	

DEPUTY

OWNERS CERTIFICATE:	
IN THE CITY OF COMMERCE CITY, COUNTY OF A HEREBY SUBMIT THIS PLANNED UNIT DEVELOP TO PERFORM UNDER THE TERMS HEREIN.	ADAMS, AND STATE OF COLORADO DOES
BY:	
ACKOWLEDGEMENT:	
STATE OF COLORADO	
COUNTY OF ADAMS CITY OF COMMERCE CITY	
THE FOREGOING WAS ACKNOWLEDGED BEFOR	
DAY OF, AD 20 MY COMMISSION EXPIRES:	

NOTARY PUBLIC:

JULY 10, 2018 PREPARED FOR:
BUITALD HOPE ANDS ILC.
222 MAINSURES STREET
SUITE 222
DENGS, CO MINUS
PHEN, GRAN 255-1755
TAX NO. 6759, 525-1755




BUFFALO HIGHLANDS

OCTOBER 2003

N.T.S.

DOCUMENT #



¥.

BUFFALO HIGHLANDS

PUD ZONE DOCUMENT AMENDMENT 1

A PARCEL OF LAND LOCATED IN THE WEST ONE-HALF OF SECTION 21, TOWNSHIP 2 SOUTH, RANGE 66 WEST OF THE 6TH P.M.

PAGE 3 OF 7

COUNTY OF ADAMS, STATE OF COLORADO
LAND USE SCHEDULE

LAND USE SCHEDULE

LAND LINE									IAGESOFS		****
LAND USE CATEGORY	Α	В	С	D	E	F	G	Н	J	K	TOTAL AREA
LAND USE AREA	25.7 Ac.	16.4 Ac.	14.6 Ac.	35.0 Ac.	29.3 Ac.	35.3 Ac.	21.7 Ac.	2.9 Ac.	67.0 Ac.	60.0 Ac.	307.9 Ac.
ARTERIAL AND COLLECTOR R.O.W.	1.5 Ac.	1.0 Ac.	1.7 Ac.	1.1 Ac.	0.6 Ac.	1.6 Ac.	0.7 Ac.	0.1 Ac.	N/A	N/A	8.3 Ac.
TOTAL AREA	27.2 Ac.	17.4 Ac.	16.3 Ac.	36.1 Ac.	29.9 Ac.	36.9 Ac.	22.4 Ac.	3.0 Ac.	67.0 Ac.	60.0 Ac.	316.2 Ac.
ALLOWABLE USES	TH/SFA	SFD	SFD	SFD	SFD	SFD	SFD	OPEN SPACE	OPEN SPACE	(10)	N/A
DENSITY ×	6-15 DU/Ac	5.8 DU/Ac	5.5 DU/Ac	4.9 DU/Ac	3.8 DU/Ac	5.4 DU/Ac	4.6 DU/Ac	N/A	N/A	N/A	3.2 DU/Ac
TOTAL UNITS x	164	95	80	170	110	190	100	N/A	N/A	N/A	1000
LOT SIZE m	H/A	5,000 SF	6,000 SF	5,000 SF	7,000 SF	6,000 SF	6,000 SF	N/A	N/A	N/A	N/A
LOT FRONTAGE m	N/A	50' (9)	50' (0)	50' (9)	50' (9)	50' (9)	50' (9)	N/A	N/A	N/A	N/A
PRIMARY											
HEIGHT x	35'	35'	35'	35'	35'	35'	35'				
COMMIT CETTO ANY	;	· · · · · · · · · · · · · · · · · · ·	··· · · · · · · · · · · · · · · · · ·		 		<u></u>				

HEIGHT x	35'	35'	35'	35'	35'	35'	35'
FRONT SETBACK (LIVING) m	10' (1,2)	10' (1,2)	10' (1,2)	10' (1,2)	10' (1,2)	10' (1,2)	10' (1,2)
FRONT SETBACK (GARAGE) m	19'	20'	20'	201	20'	20'	20'
SETBACK m	5'/0' (3.4)	5 (1,5)	5 (1,5)	5 (1,5)	5 (1,5)	5 (1,5)	5 (1,5)
BUILDING SEPARATION IN	10 (5)	10' (5)	10' (5)	10' (5)	10' (5)	10' (5)	10' (5)
REAR SETBACK m	10' (1,2,5)	20' (1,6)	20' (1,0)	20' (1,2,6)	20' (1,6)	20' (1,6)	20' (1.6)
SEDE ON STREET SETBACK m	10'/15' (2,13)	15'	15'	15' (2)	15'	15'	15'
FLOOR AREA SQ. FT. m	800 S.F.	1,200 SF (e)	1,200 SF (8)	1,200 SF (8)	1,200 SF (0)	1,200 SF (6)	1,200 SF (6)
ACCESSORY USE							
,	,		•				

SQ. FT. m	600 S.F.	1,200 SF (e)	1,200 SF (8)	1,200 SF (8)	1,200 SF (a)	1,200 SF (6) 1,200 SF (8)
ACCESSORY USE							
HEIGHT x	15'	15'	15'	15'	15'	15'	15'
SIDE ON STREET SETBACK m	15' (7)	15' (7)	15' (7)	15' (7)	15' (7)	15' (7)	15' (7)
OFF-STREET PARKING m	2.0 D/U	2 D/U	2 D/U	2 D/U	2 D/U	2 D/U	2 D/U
SEDE SETBACK m	5'	5'	5'	5'	5′	5'	5'
REAR SETBACK m	5*	5'	5'	5'	.5'	5*	5'

x = MAXIMUM

m = MINIMUM

TH = TOWNHOMES

SFD = SINGLE FAMILY DETACHED RESIDENTIAL

SFA = SINGLE FAMILY ATTACHED RESIDENTIAL

LAND USE SUMMARY

SHOLE FAMILY SETACHED
HARRIER OF ALLOWED LOTS
WITH A MINISTER OF ALLOWED LOTS
WITH A MINISTER OF GLOOD S.F.
HARRIER OF ALLOWED LOTS
WITH A MINISTER OF 7,000 S.F.
HARRIER OF ALLOWED LOTS
WITH A MINISTER OF 7,000 S.F.

SPD VOTAL

CONSER / DEVELOPER MAY REQUEST A REDUCTION IN THE TOTAL OF 7,000+ ST LOTS FROM 1551 TO NO LESS THAN 1651. THE REDUCTION MAINT SE REVEWED AND APPROVED BY A MOTION AT A DULLY OBSINESSED CITY COUNCIL HEARING.

TOWNHOMES/SFA 25.7 AC. 152.3 AC. 152.3 AC. 173.0 AC.

FLOOD PLAN / OPPN SPACE 129.9 Ac.
PUBLIC COLLECTOR ROADS 8.3 Ac.
NON SES. VOTAL 138.2 Ac.

TOTAL ASSEME

318.2 Ac.

1980 BU RESIDENTAL

178.0 RESIDENTAL AC. = 5.3 DU/AC

68025 BENETY: 1600 DU, 316.2 AC.= 3.2 DU/AC.

THE TOWNHOMES/SFA AND SFD LOT SHE CARESTES RESPECTIVE ACREAGE TOTALS OF PUTE TOTALS MAY WARY UP TO THESE PERCENT (SE).

NOTES

- (1) COVERED PORCHES MAY EXTEND INTO THE FRONT SETBACK TO 10' FROM THE BACK EDGE OF THE EDEWALK. DECKS, PATIOS AND COVERED PORCHES MAY EXTEND INTO THE REAR SETBACK TO 10-FEET FROM THE REAR PROPERTY LINE. FREFLACES, BAY MENDOWS, OR OTHER EXTENSIONS OF THE FRAMARY STRUCTURE MAY EXTEND 2-FEET INTO THE SENE SETBACK.
- (2) FRONT, REAR, OR SIDE SETBACK REGULARD FROM EAST SIGH AVENUE SHALL BE 30' AS MEASURED FROM THE RIGHT OF WAY FOR ANY SIDE FACING E. SIGH AVENUE.
- (3) CHARTER CONDITIONS FOR TOWNHOMES/SFA SHALL BE FEE SAPLE.
- TOWNHOMES/SFA WITH A COMMON WALL SHALL HAVE A 0-FOOT SIDE
- (5) EVELOPECS SHALL HAVE A MEMBERN OF 10' SEPARATION SETVEEN AS MEASURED FROM FOUNDATION TO POUNDATION.
- (6) REAR SETBACK MEASURED PROM PROPERTY LIVE.
- (7) AS MEASURED FROM THE BACK OF SIDEWALK.
- (8) THE MENDALIN SQUARE FOOTAGE FOR A RANCH MODEL HOME SHALL SE 1,200 SF. THE MENDALIN SQUARE FOOTAGE FOR A TWO STORY MODEL HOME SHALL SE 1,600 SF.
- (9) ESSAUL LOT FRONTAGE FOR LOTS ADJACENT TO AN EYESSOW SHALL BE SO' AS MEASURED 25' FROM THE BACK OF EXPENSIVE.
- (10) TRACT K TO BE DEDICATED TO THE CITY AT A FUTURE DATE. THE EXISTING RACE TRACK CRUTATIONS IN PARCEL K SHALL CHILY BE ALLOWED TO GREATE UNITE DECEMBER 6, 1825.
- TOWNHOMES/SFA ACCESSORY USE SHALL HAVE A 5' HOH-ALLEY
- (12) CHARGETY FACELYES ARE ALLOWED IN PARCELS A. D. AND G AND PLANS BUILL BE SUBMITTED AND APPROVED BURBER THE PUBLIC FACELY FACELY BUILL BELLINE A FOOL FACILITY AND CR. PUBLIC FECEL AND AND
- SIDE ON STREET SETBACK TO MAIN STRUCTURE IS 15', SIDE ON STREET SETBACK TO PORCH IS 10'.

SIGN SCHEDULE

TEMPORARY MARKETING SIGNS:

A MAXIMUM NUMBER OF 3 TEMPORARY MARKETING SIGNS WILL BE ALLOWED ON THE STREET FRONTAGE. THESE SIGNS SHALL NOT EXCEED 60 SF EACH, AND 12' MAXIMUM.

COMMUNITY IDENTIFICATION AND DIRECTIONAL SIGNS:
COMMUNITY IDENTIFICATION SIGNAGE WILL BE ALLOWED THROUGHOUT THE PROJECT AT A
MAXIMUM AREA OF 24 SF PER SIGN, NOT INCLUDING POSTS, ETC. DIRECTIONAL SIGNAGE
WILL BE ALLOWED THROUGHOUT THE PROJECT AT A MAXIMUM AREA OF 32 SF PER SIGN.

BUILDING SIGNS:

A DIRECTORY SIGN WILL BE ALLOWED FOR EACH BUILDING ENTRANCE. SIGNS SHALL NOT EXCEED 3 SF, AND SHALL BE NO HIGHER THAN 12' HIGH, NOR SHALL THEY EXTEND ABOVE THE BASE OF THE SECOND FLOOR WINDOW SILL, PARAPET, EAVE, OR BUILDING FACADE.

PROJECT MONUMENTATION:

SIGNAGE AND OR ARCHITECTURAL FEATURES SHALL BE ALLOWED AT THE PROJECT ENTRANCES. SIGNS SHALL NOT EXCEED 6' MAXIMUM HEIGHT AND 50 S.F. OF SIGNAGE PER SIGN AND SHALL NOT EXCEED A TOTAL NUMBER OF 6 SIGNS. INDIVIDUAL LETTERS SHALL NOT EXCEED 24" IN HEIGHT. EACH ENTRANCE WILL BE ALLOWED 100 SF OF TOTAL SIGNAGE FOR THE PROJECT IDENTIFICATION. SIGN CRITERIA ARE NOT APPLICABLE TO ARCHITECTURAL FEATURES. MONUMENT FOUNDATIONS SHALL NOT EXTEND INTO THE THE PUBLIC RIGHT OF WAY.

DESCN STANDARDS

- 1. THE TOTAL DWELLING UNITS, GROSS DENSITY AND NON-RESIDENTIAL FLOOR AREA SHOWN ARE MAXIMUMS FOR THE ACREAGE'S SHOWN.
- 2. PARCELS ACREAGE'S ARE PRELIMINARY AND SUBJECT TO CHANGE WITH DETAILED PLANNING; PARCEL ACREAGE MAY CHANGE UP TO 15 % WITHOUT AN AMENDMENT TO THE ZONE DOCUMENT WITH THE APPROVAL OF THE COMMUNITY DEVELOPMENT DIRECTOR. SUCH CHANGES WILL RESULT IN CORRESPONDING CHANGES IN THE PARCEL YIELDS SHOWN IN THE LAND USE SCHEDULE FOR THE TOTAL ACRES, DENSITY, AND TOTAL UNITS.
- 3. ALL DEVELOPMENT WILL CONFORM TO THE COMMERCE CITY NEIGHBORHOOD RESIDENTIAL AND COMMERCIAL GOALS, GUIDELINES, AND DEVELOPMENT STANDARDS FOR NEW DEVELOPMENT AS ADOPTED AND AMENDED. MOBILE HOMES AND MANUFACTURED HOUSES ARE PROHIBITED WITHIN THIS DEVELOPMENT.
- 4. ALL RIGHT-OF-WAY DIMENSIONS ARE SUBJECT TO FINAL ON-SITE AND OFF-SITE TRAFFIC ANALYSIS, TO BE DETERMINED AT FINAL PLATTING.
- 5. EXACT LOCATIONS FOR ALL ROADWAY ACCESS POINTS WILL BE DETERMINED DURING THE PLATTING PROCESS, BASED ON COMMERCE CITY ENGINEERING STANDARDS.
- 6. FENCE ELEVATIONS WILL BE SUBMITTED TO THE COMMERCE CITY COMMUNITY DEVELOPMENT DEPARTMENT FOR REVIEW AND APPROVAL AT THE TIME OF THE PUD PERMIT.
- 7. OPEN RAIL FENCING WILL OCCUR ALONG AND ADJACENT TO ALL PARKS, OPEN SPACE, AND TRAILS AND WILL BE NO GREATER THAN 60" OR 5 FEET IN HEIGHT TO THE TOP RAIL. THE FENCE WILL BE UNIFORM IN APPEARANCE AND HEIGHT THROUGHOUT THE DEVELOPMENT. THE LANDSCAPING FOR PARKS AND OPEN SPACE SHALL BE APPROVED BY COMMERCE CITY COMMUNITY PLANNING AND DEVELOPMENT SERVICES.
- 8. EXISTING OIL AND GAS PRODUCTION FACILITY TO BE ABANDONED FROM PARCEL F AND RELOCATED TO PARCEL K PRIOR TO ISSUANCE OF ANY BUILDING PERMITS FOR THE ENTIRE DEVELOPMENT.
- 9. RESIDENTIAL FENCING STANDARDS (SECTION 21-26) AND LANDSCAPING STANDARDS (SECTION 21-32) SHALL COMPLY WITH THE RESIDENTIAL FENCING AND LANDSCAPING STANDARDS AS STATED IN THE ZONING ORDINANCE AS ADOPTED OR AMENDED UNLESS OTHERWISE NOTED IN THIS DOCUMENT.
- ${f j}$ 0. MAXIMUM HEIGHT FOR RESIDENTIAL FENCING IN NEIGHBORHOOD "A" SHALL BE 5'. ${f j}$

- 1. PHASING WILL OCCUR IN A LOGICAL AND COST EFFECTIVE MAINNER BASED ON INFRASTRUCTURE EXTENSION AND MARKET COMDITIONS. THE PROJECT IS EXPECTED TO BE BUILT IN SEVERAL PHASES.
- 2. MODEL HOMES FOR EACH PARCEL WILL BE BUILT IN VARIOUS LOCATIONS OF THE SUBDIVISION.

LAND LISE SCHEDULE MOTES

- 1. ALL RESIDENTIAL USES SHALL COMPLY WITH THE USES SPECIFIED IN ARTICLE III. "R"
 RESIDENTIAL DISTRICTS CHAPTER OF THE CITY OF COMMERCE CITY ZONING ORDINANCE.
 - 2. RESIDENTIAL ACCESSORY USES: ATTACHED AND DETACHED GARAGES ARE NOT TO EXCEED 864 SQUARE FEET IN FLOOR AREA AND STORAGE BUILDINGS ARE NOT TO EXCEED 200 SQUARE FEET IN FLOOR AREA. ACCESSORY STRUCTURES ARE ONLY PERMITTED IN THE REAR YARD, AND ARE NOT PERMITTED IN FRONT YARDS OR SIDE YARDS FACING A PUBLIC STREET, AND SHALL NOT EXCEED A TOTAL NUMBER OF TWO ACCESSORY STRUCTURES.
 - 3. ACCESSORY STRUCTURES ARE NOT PERMITTED IN THE REAR YARD OF DWELLINGS IN NEIGHBORHOOD "A."
- 4. ALL DWELLINGS IN NEIGHBORHOOD "A" SHALL HAVE 2-CAR GARAGES.

DOCUMENT #

B8 Inverness Circle East, Bidg J Suite 101
Englewood, Colorado 80112
T 303.734.1777 | F 303.734.1778
Architecture | Planning | Goil Toesign
Landscape Architecture | Visual Media

987

-800-922

ISSUE DATE

REVISION DATE

(月) (1) (1)

JULY 10, 2018

PREPARED FOR:

ESTE 200 ESTE 200 ESTE 200

PH NO. (2003) \$55-77%

FAX NO. (500) 353-7738

2-15

BUFFALO HIGHLANDS
PUD ZONE DOCUMENT
LAND USE SCHEDULE
BUFFALO HIGHLANDS, LLC

1407-201-052

OCTOBER 2003

N.T.S.

3 of

BUFFALO HIGHLANDS

PUD ZONE DOCUMENT AMENDMENT 1

A PARCEL OF LAND LOCATED IN THE WEST ONE-HALF OF SECTION 21, TOWNSHIP 2 SOUTH, RANGE 66 WEST OF THE 6TH P.M. COUNTY OF ADAMS, STATE OF COLORADO LANDSCAPE STANDARDS PAGE 4 OF 7

PLANTING LEGEND INCLUDES, BUT NOT BE LIMITED TO THE SPECIES LISTED BELOW:

ALL PLANT MATERIAL WILL CONFORM TO THE CITY OF COMMERCE CITY "APPROVED PLANT LISTS AND PLANTING SPECIFICATIONS"

COMMON NAME SIZE & CONDITION BOTANICAL NAME DECIDUOUS TREE GREENSPIRE LINDEN TILLA CORDATA 'CREENSPIRE 2 1/2" CAL B&B, SPECIMEN DEBORAH MAPLE ACCEST TOTOLOGIAN 2 1/2 CAL B&B, SPECMEN PHAMMUS AMERICANA AUTUMN PUMPLE HEA THEFTE ASH 2 1/2" CAL BAD, SPECIAEN EVERGREEN TREES HT ON PLAN SPECIMEN AUSTRIAN PINE PANUS NIGHA COLORADO ELUE SPRUCE HT ON PLAN SPECIMEN PICEA PUNCEUS CLAUCA ORNAMENTAL TREES SPRING SNOW CRAB MALUS "SPRING SNOW 2 CAL BAB, SPECIMEN FLAME AMUR MAPLE ACER GENNALA "FLAME" 8' CLUMP BAS, SPECMEN RUSSIAN HAWTHORN CRATAEGUS AMESGUA 2 " CAL BAB, SPECIMEN SERVICESERY ANGLANCHEER. 2 CAL BAB. SPECIMEN TATABIAN HAPLE ACES TATABLICULA 2 CAL BAD, SPECIMEN EVERGREEN SHRUBS HUCHES LINGHER JUNE ERUS HORIZONTALIS 'HUGHES' 5 GALLON JUNEMERUS SARINA TAMARISCIFOLIA 5 GALLON 30" SP. HEN. TAH JUNEPER DECIDUOUS SHRUBS CISTENA PLUM PRUNUS CISTENA 5 CALLON 30" HT. 4 CAME HEN. CHANESE LILAC SYNTHOA CHEEKES-ROTHWAGENES 5 GALLON, SE" HT. 4 CAME MEN. BLLE WIST SPREA CARVOPTERS X CLAROGRAPIES 5 GALLEN, 24" HT. 3 CAME MIN. BALLEY REDIVED DOGWOOD CONNUS SERICEA BALLEY 5 GALLON, 24" HT. 3 CANE MIN. DWARF BURNENO BUSH EUOHYMUS ALATUS 'COMPACTA 5 GALLON. 30" HY. 3 CANE HEN. PERENNIALS & GROUND COVERS
PERMANUE WHICH WHICH WENCE 1 GAL WINTERCREEPER EUONYMOUS | EUONYMUS FORTUNE! COLORATA' 1 GAL RED DAYLLLY AKEEV ALITHEROS 1 GAL

CUT AND REMOVE BURLAP FROM TOP AND SIDES OF ROOTBALL REMOVE ALL WIRES AND NYLON TIES, IF TREE IS IN POT, REMOVE PRIOR TO PLANTING ANY PROKEN OR CRUMBLING ROOTBALL WILL BE REJECTED. REMOVING THE WIRE WILL NOT SE AN EXCUSE FOR DAMAGED ROOTBALLS SNOW IN SULLALER CREEPING PHLOX SPECIFIED BACKFILL MIXTURE AND FERTILIZER

DECIDUOUS TREE PLANTING NOT TO SCALE

2 X ROOTBALL

DO NOT CUT OR DAMAGE LEADER, PRUNE DAMAGED OR DEADWOOD MANEDIATELY PRIOR TO PLANTING 12" NYLON TREE STRAP ON GUY WARE TO PROTECT TREE \$12 GALVANIZED WARE TWISTED DOUBLE STRAND. MIN. 3 GUY WIRES PER TREE. 1/2" DIA. X 24" LONG WHITE PVC PIPE ON EACH GUY WERE - SET ROOTBALL 3" HIGHER THAN GRADE AT WHICH TREE APPLY SPECIFIED MULCH 3" DEEP OVER SPECIFIED WEED 6' STEEL T-POST-2' MIN. INSERTION, 4' EXPOSED, INSERTED INTO UNDISTURBED SOIL FINISHED GRADE CUT AND REMOVE BURLAP FROM TOP AND SIDES OF ROOTBALL REMOVE ALL WIRES AND NYLON TES. IF TREE IS IN POT, REMOVE PRIOR TO PLANTING. UNDISTURBED SUBGRADE

STAKE ALL TREES 3" CALIFER AND UNDER

DO NOT CUT OF DAMAGE LEADER, PRINE DAMAGED ON DEAD WOOD EMEDIATELY FROM TO PLANTING

WRAP ENTIRE SURFACE OF TRUNK TO SECOND BRANCH WITH SPECIFIED TREE WRAP MATERIAL AND

12" NYLON TREE STRAP ON GUY WATE TO PROTECT

#12 GALVANIZED WERE TWISTED DOUBLE STRAND

6' STEEL T-POST - 2' WIN INSERTION, 4' EXPOSED.

SET ROOTBALL 3" HIGHER THAN GRADE AT WHICH

APPLY SPECIFIED MULCH 3" DEEP OVER SPECIFIED

WATER RING, INSTALL AT END OF PLANTING

LEIN, 2 CALLY WIRES PER TREE

WEED MATERIAL

FAMISHED GRADE

APPLICATION

INSERTED INTO UNDISTURBED SIOL

HOLE SHOULD HAVE ROUGHERED SIDES

1/2" DIA. X 36" LONG WHITE PVC PIPE ON EACH GUY WIRE

LANDSCAPE NOTES

1. POCKET PARKS SHALL CONTAIN A MENEMUM OF 1 TREE/800 S.F., AND 1 SHRUB/300 S.F.

RUDBECKIA FULGIDA


PHLOX SUBULATA

2. PARKS AND OPEN SPACE AREAS SHALL BE SHOWN WITH THE DEVELOPMENT OF THE RESIDENTIAL PARCELS AND WILL MEET THE CITY'S 3% PRIVATE OPEN SPACE REQUIREMENT.

1 GAL

4" POT

- 3. ALL POCKET PARKS, PRIVATE OPEN SPACE, AND DETENTION AREAS WILL BE DEVELOPED BY THE BUILDER/DEVELOPER AND MAINTAINED BY A HOME OWNERS ASSOCIATION.
- 4. DETENTION AREAS WILL CONSIST OF NON-IRRIGATED TURF AND SHRUBS ONLY WITH 1 SHRUB/500 S.F.
- 5. ALL POCKET PARKS, PRIVATE OPEN SPACE AND DETENTION AREAS WILL CONFORM TO COMMERCE CITY COMMUNITY DEVELOPMENT, PUBLIC WORKS DEPARTMENT AND PARKS AND RECREATION DEPARTMENT STANDARDS.
- 6. PLANT MATERIAL TYPES FOR POCKET PARKS SHALL INCLUDE BUT NOT BE LIMITED TO THE SPECIES LISTED IN THE PLANT LEGEND. ALL ADDITIONAL PLANT MATERIAL WILL CONFORM TO THE CITY OF COMMERCE CITY "APPROVED PLANT LISTS AND PLANTING SPECIFICATIONS."
- 7. ALL LANDSCAPING SHALL COMPLY WITH SECTION 21-32 OF THE CITY OF COMMERCE CITY ZONING ORDINANCE AS ADOPTED OR AMENDED.
- A COMPLETED LANDSCAPE PLAN SHALL BE SUBMITTED AS A PORTION OF THE PUD PERMIT PROCESS.
- OPEN RAIL FENCING WILL OCCUR ALONG AND ADJACENT TO ALL PARKS, OPEN SPACE, AND TRAILS AND WILL BE NO GREATER THAN 80° OR 5 FEET IN HEIGHT TO THE TOP RAIL. THE FENCE WILL BE LINGFORM IN APPEARANCE AND HEIGHT THROUGHOUT THE DEVELOPMENT. THE LANDSCAPING FOR PARKS AND OPEN SPACE SHALL BE APPROVED BY COMMERCE CITY COMMUNITY PLANNING AND DEVELOPMENT SERVICES.



EVERGREEN TREE PLANTING NOT TO SCALE

2 X ROOTBALL

SHRUD PLANTING

ENGINEERING LEGS PALCOMOTH BFPRACES S

1987

-800-922

ISSUE DATE

REVISION DATE

JULY 10, 2018

PREPARED FOR:

BUFFALO HASHLARDOS, LLC

272 KALWARES STREET SLATE SEA

DERVEIL CO CORRE

PH NO. (000) 201-7705

FAX XX. (202) 255-7739

DOCUMENT STANDARDS **BUFFALO HIGHLANDS**

PUD ZONE

1407-201-052 **OCTOBER 2003**


N.T.S.

DOCUMENT #

BULLALO HIGHLANDS PUD ZONE DOCUMENT AMENDMENT 1

A PARCEL OF LAND LOCATED IN THE WEST ONE-HALF OF SECTION 21, TOWNSHIP 2 SOUTH, RANGE 66 WEST OF THE 6TH P.M. COUNTY OF ADAMS, STATE OF COLORADO

DETAILS PAGE 5 OF 7



- 1. COLUMNS TO BE USED IN CONJUNCTION WITH PICKET FENCE.
- 2. SPACING BETWEEN COLUMNS WILL NOT EXCEED 200 FEET ON CENTER.
- 3. FINAL DESIGN, MATERIAL, AND SPACING SUBJECT TO APPROVAL AT THE OF PUD FERMIT.

5.0'

WALK

6.0'

- 1. OPEN RAIL FENCING WILL OCCUR ALONG AND ADJACENT TO ALL PARKS, OPEN SPACE, AND TRAILS AND WILL BE NO GREATER THAN 50" OR 5 FEET IN HEIGHT.
- 2. THE FENCE WILL BE UNIFORM IN APPEARANCE AND HEIGHT THROUGHOUT THE DEVELOPMENT.

5,0'

WALK

3. WIRE MESH MAY BE INSTALLED ON THE INSIDE (LOT SIDE) OF THE FINCE FOR PET CONTAMBENT/PEST DETERMENCE PURPOSES.

6.0'

6' TRANSPORTATION & UTILITY EASEMENT 1.3, MATK 1. STRIPING NOT REQUIRED

-B' TRANSPORTATION/ UTILITY EASEMENT

RADIUS POINT IS ROW LINES EXTENDED

1. PICKET FENCING WILL OCCUR ALONG AND ADJACENT TO ALL PUBLIC RIGHTS-OF-WAY SUCH AS BETH AVENUE, BETH AVENUE, AND LANDMARK DRIVE.

2. THE FENCE WILL BE UNEFORM IN APPEARANCE AND HEIGHT THROUGHOUT THE DEVELOPMENT.

J. 4x8 CEDAR POSTS TO BE ON THE BE ON SIDE OF FENCE AWAY FROM STREET.

R=55' PL-

R=19.6' FL

R=45' FL

R=5' FL:

4.5' WALK

Excuses cons

- ON STREET PARKING ALLOWED
- PRICATED & UNIFORMLY LANDSCAPED TREE LAWN TO BE INSTALLED BY DEVELOPER.
- *4. IF MOUNTABLE CURB IS USED, SIDEWALK WILL ENCROACH 1'4" INTO TRANSPORTATION EASEMENT.

LOCAL RESIDENTIAL

W/ DETACHED WALK (54'ROW)

-R=25' FL

-R-72' CL

EXERCIM DIEADVENT

HOT TO SCALE

O'DAY EXCELLATION

EXE / PARKING DRIVE LANE

1. CENTER LINE STRIPE REQUIRED

MINOR COLLECTOR B NOT TO SCALE


64' ROW

10.0

40' FL-FL

10.0

DRIVE LANE BIKE / PARKING



- 1. AUXILIARY LANES SHALL BE 12' WIDE, INCLUDING GUTTER PANS
 2. EASIDMENTS MAY BE DEDICATED AS ROW IF SETBACKS ARE NOT AN ISSUE

MINOR ARTERIAL E. SOTH AVENUE

ZONE DOCUMENT BUFFALO HIGHLANDS DETAILS BUFFALO HIGHLANDS, LLC PUD

1-800-922-1987

ISSUE DATE

HOVENSER 21, 2000 JANUARY 28, 2004 MARCH & 534 JULY 5, 2004 AUGUST 11, 2004 AUGUST 23, 2004 OCCERNIA 30, 2004

REVISION DATE

JULY 10, 2018

PREPARED FOR: BUTTALO HIGHLANDS, LLC

SUITE (MA) DERVER, (20) 18255 -PH NO. (2021) 255-7705 FAX NO. (2021) 255-7733

ENGINEERIN

1407-201-052

OCTOBER 2003

N.T.S. of 7

HOT TO SCALE

DOCUMENT #

BUFFALO HIGHLANDS


PUD ZONE DOCUMENT AMENDMENT 1

TRACT J, BUFFALO HIGHLANDS FILING NO. 1
CITY OF COMMERCE CITY, COUNTY OF ADAMS, STATE OF COLORADO
PARCEL ID: 172321210001
ZONING: PUD

SINGLE-FAMILY ATTACHED LOT STANDARDS PAGE 6 OF 7

SINGLE-FAMILY ATTACHED RESIDENTIAL LOT STANDARDS						
RESIDENTIAL BUILDING SETBACKS (MINIMUM)						
SIDE INTERIOR	5'					
REAR	10'					
FRONT TO PORCH	10'					
FRONT TO STRUCTURE	15'					
MIN. DRIVEWAY DEPTH	19'					
TYP. ALLEY DRIVE WIDTH	20'					
TYP. ALLEY UTILITY EASEMENT WIDTH	30'					

DOCUMENT #_





88 Inverness Circle East, Bldg J Suite 101 Englewood, Colorado 80112 T 303.734.1777 | F 303.734.1778

Architecture | Planning | Golf Design Landscape Architecture | Visual Media www.LAldesigngroup.com



CWC CONSULTING GROUP

CIVIL ENGINEERING · LAND SURVEYING

CONSTRUCTION SERVICES
9360 TEDDY LANE, SUITE 203
LONE TREE, CO 80124

PHONE 303.395.2700 - FAX 303.395.2701

BUFFALO HIGHLANDS PUD ZONE DOCUMENT AMENDMENT 1 SINGLE-FAMILY ATTACHED LOT STANDARDS

6 of 7

BUFFALO HIGHLANDS PUD ZONE DOCUMENT AMENDMENT 1

TRACT J, BUFFALO HIGHLANDS FILING NO. 1 CITY OF COMMERCE CITY, COUNTY OF ADAMS, STATE OF COLORADO PARCEL ID: 172321210001 ZONING: PUD **ENTRY ROADWAY SECTION** PAGE 7 OF 7

DOCUMENT #_



88 Inverness Circle East, Bldg J Suite 101 Englewood, Colorado 80112 T 303.734.1777 | F 303.734.1778

Architecture | Planning | Golf Design Landscape Architecture | Visual Media www.LAldesigngroup.com



CWC CONSULTING GROUP

CIVIL ENGINEERING · LAND SURVEYING CONSTRUCTION SERVICES 9360 TEDDY LANE, SUITE 203 LONE TREE, CO 80124 PHONE 303.395.2700 - FAX 303.395.2701

AMENDMENT SECTION HIGHL DOCUMENT ROADWAY

ENTRY \Box

PROJECT #: 181013


RECORD

1st Submittal

<u>2nd Submittal</u> <u>05/24/18</u> 3rd Submittal ___

SHEET

ROADWAY **SECTION** 7 of 7



ENTRY ROADWAY SECTION (70'/85' ROW)
SCALE: NOT TO SCALE

NOTE:

- 1) SECTION SHOWN REPRESENTS THE ENTRANCES AT "STREET A" AND THE INTERSECTION OF "STREET B" AND TELLURIDE STREET.
- 2) PARKING IS NOT PERMITTED WITHIN ENTRANCE AREAS.